

Biston betularia (L.), *Agriopis aurantiaria* (Hubn.), *A. marginaria* (Fab.),
Alcis repandata (L.), *Ematurga atomaria* (L.), *Bupalus piniaria* (L.),
Cabera exanthemata (Scop.), *Hylaea fasciaria* (L.).

SPHINGIDAE

Laothoe populi (L.).

NOTODONTIDAE

Phalera bucephala (L.), *Cerura vinula* (L.), *Eligmodonta ziczac* (L.),
Pheosia gnoma (Fab.).

LYMANTRIIDAE

Orgyia antiqua (L.).

ARCTIIDAE

Nudaria mundana (L.), *Parasemia plantaginis* (L.), *Diacrisia sannio* (L.),
Spilosoma lubricipeda (L.), *Phragmatobia fuliginosa* (L.).

NOCTUIDAE

Ochrolepura plecta (L.), *Noctua pronuba* (L.), *N. comes* (Hubn.),
Paradiarsia glareosa (Esp.), *Lycophotia porphyrea* (D. & S.),
Diarsia mendica (Fab.), *D. rubi* (View.),
Xestia baja (D. & S.), *X. castanea* (Esp.), *X. sexstrigata* (Haw.),
X. xanthographa (D. & S.), *Cerastis rubricosa* (D. & S.),
Lacanobia biren (Goeze), *Ceramica pisi* (L.), *Cerapteryx graminis* (L.),
Orthosia gracilis (D. & S.), *O. incerta* (Hufn.), *O. gothica* (L.),
Mythimna impura (Hubn.), *Aporophyla nigra* (Haw.), *Xylena vetusta* (Hubn.),
Blepharita adusta (Esp.), *Antitype chi* (L.), *Acrionicta psi* (L.),
Euplexia lucipara (L.), *Phlogophora meticulosa* (L.), *Hyppa rectilinea* (Esp.),
Apamea monoglypha (Hufn.), *A. epomidion* (Haw.), *A. remissa* (Hubn.),
Oligia fasciuncula (Haw.), *Mesapamea secalis* (L.), *Photodes minima* (Haw.),
P. pymina (Haw.), *Amphipoea lucens* (Frey.), *A. crinanensis* (Burr.),
A. oculatea (L.), *Hydraecia micacea* (Esp.), *Celaena haworthii* (Curt.),
Diachrysa chrysitis (L.), *Plusia festucae* (L.), *Autographa gamma* (L.),
A. pulchrina (Haw.), *A. bractea* (D. & S.), *A. triplasia* (L.),
Phytometra viridaria (Clerck), *Rivula sericealis* (Scop.),
Hypena proboscidalis (L.).

COLEOPHORA TRIGEMINELLA FUCHS AND C. CORACIPENNELLA
 HBN. IN SOUTH YORKSHIRE. — On 17th April 1981 while at Denaby
 Ings, near Mexborough (VC 63), a Yorkshire Naturalists' Trust
 nature reserve, I found two cases of *C. trigeminella* on hawthorn,
 one of them feeding on the unopened flower buds. From these cases
 moths emerged on 11th and 22nd June.

From cases of the '*nigricella* (Steph.)' group, besides *C. cerasi-
 vorella* Packard I was pleased to rear two specimens of *C. coracipen-
 nella*, one from a case on blackthorn collected at Denaby Ings on
 12th May 1981, the moth emerging on 18th June and one from a
 case on hawthorn collected near West Melton on 17th May 1981 which
 emerged on 25th June. I am grateful to Mr. R. Heckford for con-
 firming the identity of my slides of *coracipennella*.

Besides providing the first Yorkshire records for these two
 species these appear to extend considerably the range of what
 seem to be local or under-recorded moths. — H. E. BEAUMONT,
 7 Brampton Road, West Melton, Rotherham, South Yorks.,
 SE3 6AN.